

## SUPERNET JETS



### SUPERNET JET – 12 360° WITH ANTI-ANT; PRESS FIT; HEAD ONLY

Note: Wetted Diameter with Supernet Jet 20cm above

Code	Colour		
LW63500-121660	Orange	30 L/H	2.4 m
LW63500-125200	Orange	35 L/H	2.4 m
LW63500-125800	Orange	40 L/H	2.5 m
LW63500-126400	Orange	50 L/H	2.5 m
LW63500-127000	Orange	58 L/H	2.8 m
LW63500-127600	Orange	70 L/H	2.8 m
LW63500-128200	Orange	90 L/H	3.0 m
LW63500-128800	Orange	110 L/H	3.2 m

### SUPERNET JET – 10 300° WITH ANTI-ANT; PRESS FIT;

Note: Wetted Diameter with Supernet Jet 20cm above

Code	Colour		
LW63500-124610	Orange	30 L/H	2.4 m
LW63500-125610	Orange	35 L/H	2.4 m
LW63500-125810	Orange	40 L/H	2.5 m
LW63500-126410	Orange	50 L/H	2.5 m
LW63500-127010	Orange	58 L/H	2.8 m
LW63500-127610	Orange	70 L/H	2.8 m
LW63500-128210	Orange	90 L/H	3.0 m
LW63500-128900	Orange	110 L/H	3.2 m

### SUPERNET JET – 2 x 90° WITH ANTI-ANT; PRESS FIT; HEAD ONLY

Note: Wetted Diameter with Supernet Jet 20cm above

Code	Colour		
LW63500-124620	Orange	30 L/H	2.4 m
LW63500-125620	Orange	35 L/H	2.4 m
LW63500-125820	Orange	40 L/H	2.5 m
LW63500-126420	Orange	50 L/H	2.5 m
LW63500-127020	Orange	58 L/H	2.8 m
LW63500-127620	Orange	70 L/H	2.8 m
LW63500-128220	Orange	90 L/H	3.0 m
LW63500-129000	Orange	110 L/H	3.2 m



**SUPERNET JET – 6 180° WITH ANTI-ANT; PRESS FIT;**  
**Note: Wetted Diameter with Supernet Jet 20cm above ground**

Code	Colour		
LW63500-124630	Orange	30 L/H	2.4 m
LW63500-125650	Orange	35 L/H	2.4 m
LW63500-125850	Orange	40 L/H	2.5 m
LW63500-126430	Orange	50 L/H	2.5 m
LW63500-127040	Orange	58 L/H	2.8 m
LW63500-127640	Orange	70 L/H	2.8 m
LW63500-128240	Orange	90 L/H	3.0 m
LW63500-129200	Orange	110 L/H	3.2 m

## SUPERNET SPRINKLERS



**SUPERNET SPRINKLER WITH SHORT RANGE 2 STAGE SWIVEL PRESS FIT – HEAD ONLY**

**Note: Wetted Diameter with Supernet Jet 20cm above ground and with stream deflector removed. Wetted diameter for swivel with stream deflector for all flow rates is between 1.8 and 2.0m**

Code	Colour		
LW63500-118600	Blue	20 L/H	5.0 m
LW63500-119200	Blue	30 L/H	5.5 m
LW63500-119800	Blue	35 L/H	6.0 m
LW63500-120400	Blue	40 L/H	6.0 m
LW63500-121000	Blue	50 L/H	6.5 m
LW63500-121600	Blue	58 L/H	7.0 m
LW63500-122200	Blue	70 L/H	7.0 m
LW63500-122800	Blue	90 L/H	7.0 m
LW63500-123400	Blue	110 L/H	8.0 m

**SUPERNET SPRINKLER WITH LONG RANGE 2 STAGE**

**Note: Wetted Diameter with Supernet Jet 20cm above ground and with stream deflector removed. Wetted diameter for swivel with stream deflector for all flow rates is between 0.7 and 1.0m**

Code	Colour		
LW63500-113100	Purple	20 L/H	5.0 m
LW63500-113700	Purple	30 L/H	5.5 m
LW63500-114300	Purple	35 L/H	6.0 m
LW63500-114900	Purple	40 L/H	6.0 m
LW63500-115600	Black	50 L/H	6.5 m
LW63500-116200	Black	58 L/H	7.0 m
LW63500-116800	Black	70 L/H	7.0 m
LW63500-117400	Black	90 L/H	7.0 m
LW63500-118000	Black	110 L/H	8.0 m



**SUPERNET SPRINKLER WITH SHORT RANGE 2 STAGE SWIVEL 3/8" THREADED BASE – HEAD ONLY**

Note: Wetted Diameter with Supernet Jet 20cm above ground and with stream deflector removed. Wetted diameter for swivel with stream deflector for all flow rates is between 0.7 and 1.0m

Code	Colour		
LW63500-107350	Blue	20 L/H	5.0 m
LW63500-107450	Blue	30 L/H	5.5 m
LW63500-107520	Blue	35 L/H	6.0 m
LW63500-107550	Blue	40 L/H	6.0 m
LW63500-107650	Blue	50 L/H	6.5 m
LW63500-107750	Blue	58 L/H	7.0 m
LW63500-107850	Blue	70 L/H	7.0 m
LW63500-107950	Blue	90 L/H	7.0 m
LW63500-108850	Blue	110 L/H	8.0 m



**SUPERNET SPRINKLER WITH LONG RANGE 2 STAGE SWIVEL 3/8" THREADED BASE – HEAD ONLY**

Note: Wetted Diameter with Supernet Jet 20cm above ground and with stream deflector removed. Wetted diameter for swivel with stream deflector for all flow rates is between 0.7 and 1.0m

Code	Colour		
LW63500-106150	Purple	20 L/H	5.0 m
LW63500-106200	Purple	30 L/H	5.5 m
LW63500-106230	Purple	35 L/H	6.0 m
LW63500-106250	Purple	40 L/H	6.0 m
LW63500-106300	Black	50 L/H	6.5 m
LW63500-106350	Black	58 L/H	7.0 m
LW63500-106400	Black	70 L/H	7.0 m
LW63500-106450	Black	90 L/H	7.0 m
LW63500-106500	Black	110 L/H	8.0 m



**SUPERNET GS PRESS FIT – HEAD ONLY**

Note: Wetted Diameter with Supernet Jet 20cm above ground and with stream deflector removed. Wetted diameter for swivel with stream deflector for all flow rates is between 0.7 and 1.0m

Code	Colour		
LW63500-135000	Light Grey	70 L/H	7.0 m
LW63500-136000	Light Grey	90 L/H	7.0 m
LW63500-137000	Light Grey	110 L/H	8.0 m



**SUPERNET SPRINKLER WITH SHORT RANGE 2 STAGE SWIVEL AND 60CM TUBE ASSEMBLY W/O STAKE**

Note: Wetted Diameter with Supernet Jet 20cm above ground and with stream deflector removed. Wetted diameter for swivel with stream deflector for all flow rates is between 1.8 and 2.0m

Code	Colour		
LW63500-118650	Blue	20 L/H	3.2 m
LW63500-119250	Blue	30 L/H	3.5 m
LW63500-119850	Blue	35 L/H	3.5 m
LW63500-120450	Blue	40 L/H	3.8 m
LW63500-121050	Blue	50 L/H	4.5 m
LW63500-121650	Blue	58 L/H	4.5 m
LW63500-122250	Blue	70 L/H	5.5 m
LW63500-122850	Blue	90 L/H	6.0 m
LW63500-123450	Blue	110 L/H	5.5 m



**SUPERNET SPRINKLER WITH LONG RANGE 2 STAGE SWIVEL – AND 60CM TUBE ASSEMBLY W/O STAKE**

Note: Wetted Diameter with Supernet Jet 20cm above ground and with stream deflector removed. Wetted diameter for swivel with stream deflector for all flow rates is between 1.8 and 2.0m

Code	Colour		
LW63500-113150	Purple	20 L/H	5.0 m
LW63500-113750	Purple	30 L/H	5.5 m
LW63500-114350	Purple	35 L/H	6.0 m
LW63500-114950	Purple	40 L/H	6.0 m
LW63500-115650	Black	50 L/H	6.5 m
LW63500-116250	Black	58 L/H	7.0 m
LW63500-116850	Black	70 L/H	7.0 m
LW63500-117450	Black	90 L/H	7.0 m
LW63500-118050	Black	110 L/H	8.0 m