

VALVES



NETAFIM VALVE

Residential and light commercial watering systems. • 24vac • 0.40amp inrush • 0.20amp holding. «100 - 1033kPa • 18-113Lpm.

Code	Description
LW71640-007390	25mm Netafim Solenoid Valve Jar Top



SERIES 2400 CONTROL VALVES

Solid construction, reliable performance, convenient operation. Flow Range: 20-100 17m. Pressure Range: 70-1034 kPa. Solenoid: 24 V AC. Inrush volt-amp: 24 V AC -11.50 VA. Inrush current: 0.34 amp. Holding volt-amp: 24 V AC - 5.75 VA. Holding current: 0.2 amp.

Code	Description
LW2400S50H	Manual Bleed
LW2400MT	Manual Bleed



SERIES 200B CONTROL VALVES

The 200B Series. 40mm and 50mm. Solid construction, proven reliability. Pressure Range: 140-1034 kPa Flow Range: 80-450 L/m. Solenoid: 24V AC. Inrush volt-amp: 24 V AC -11.50 VA. Inrush current: 0.34 amp. Holding volt-amp: 24 V AC - 5.75 V A. Holding current: 0.2 amp.

Code	Description
LWHR40FC	HR 40mm Solenoid Valve with Flow Control
LWHR50FC	HR 50mm Solenoid Valve with Flow Control



GALCON PROGRAMMABLE VALVE

Code	Description
LW7001D	Controller
LW9001D	Timer Controller



RAIN PRO PROGRAMMABLE VALVE

Code	Description
LWBOC-0	Battery Controller Complete With Latching Coil
LWBOC-1	Battery Controller Complete With 25mm Valve



BERMAD 200 SERIES

Code	Description
LWD1002HS	Remote
LWD100FC2HS	Remote



RAIN BIRD DV SERIES

Code	Description
LWB70211	25mm F x F BSP
LWB70311	25mm with Flow Control BSP
LWB72311	25mm Valve Slip x Slip



REPLACEMENT COIL

Code	Description
LWCOIL	Solenoid Coil

MANUAL VALVES



PVC BALL VALVES (SOLVENT WELD)

Usage: Used in water pumping for residential, industrial and agricultural applications. All valves factor tested to 250psi. Recommended operation pressure 150psi.

Code	Description
LWVBS15	15mm PVC Ball Valves
LWVBS20	20mm PVC Ball Valves
LWVBS25	25mm PVC Ball Valves
LWVBS32	32mm PVC Ball Valves
LWVBS40	40mm PVC Ball Valves
LWVBS50	50mm PVC Ball Valves



PVC BALL VALVES (BSP)

Usage: Used in water pumping for residential, industrial and agricultural applications. All valves factor tested to 250psi. Recommended operation pressure 150psi.

Code	Description
LWVBT15	½" PVC BSP Ball Valves
LWVBT20	¾" PVC BSP Ball Valves
LWVBT25	1" Female Iron Thread PVC BSP Ball Valves
LWVBT32	1 ¼" PVC BSP Ball Valves
LWVBT40	1 ½" PVC BSP Ball Valves
LWVBT50	2" Female Iron Thread PVC BSP Ball Valves



HANSON BALL VALVES

Code	Description
LWHBV20	20mm Hanson Ball Valves
LWHBV25	25mm Hanson Ball Valves
LWHBV40	40mm Hanson Ball Valves
LWHBV50	50mm Hanson Ball valves



POLY SPRING CHECK VALVES

Code	Description
LWPSCV25	25mm Poly In-line Check Valve
LWPSCV40	40mm Poly In-line Check Valve
LWPSCV50	50mm Poly In-line Check Valve

POLY FLOOR VALVE

Code	Description
LWPFV25	25mm Poly Check Valve
LWPFV40	40mm Poly Check Valve
LWPFV50	50mm Poly Check Valve



DOUBLE UNION BALL VALVES PVC - SLIP

Code	Description
LWVP66615	15mm PVC Double Union Ball Valve - Slip
LWVP66620	20mm PVC Double Union Ball Valve - Slip
LWVP66625	25mm PVC Double Union Ball Valve - Slip
LWVP66632	32mm PVC Double Union Ball Valve - Slip
LWVP66640	40mm PVC Double Union Ball Valve - Slip
LWVP66650	50mm PVC Double Union Ball Valve - Slip



DOUBLE UNION BALL VALVES PVC - THREADED

Code	Description
LWVP666T25	25mm PVC Double Union Ball Valve - Threaded
LWVP666T32	32mm PVC Double Union Ball Valve - Threaded
LWVP666T40	40mm PVC Double Union Ball Valve - Threaded
LWVP666T50	50mm PVC Double Union Ball Valve - Threaded
LWVP666T80	80mm PVC Double Union Ball Valve - Threaded
LWVP666T100	100mm PVC Double Union Ball Valve - Threaded



BRASS IN-LINE SPRING CHECK VALVE

Code	Description
LWA103015	15mm Brass In-Line Spring Check Valve
LWA103020	20mm Brass In-Line Spring Check Valve
LWA103025	25mm Brass In-Line Spring Check Valve
LWA103032	32mm Brass In-Line Spring Check Valve
LWA103040	40mm Brass In-Line Spring Check Valve
LWA103050	50mm Brass In-Line Spring Check Valve
LWA103080	80mm Brass In-Line Spring Check Valve
LWA1030100	100mm Brass In-Line Spring Check Valve



BRASS SWING CHECK VALVE

Code	Description
LWA306015	15mm Brass Swing Check Valve
LWA306020	20mm Brass Swing Check Valve
LWA306025	25mm Brass Swing Check Valve
LWA306032	32mm Brass Swing Check Valve
LWA306040	40mm Brass Swing Check Valve
LWA306050	50mm Brass Swing Check Valve
LWA306080	80mm Brass Swing Check Valve
LWA3060100	100mm Brass Swing Check Valve



BRASS FOOT VALVE

Code	Description
LWA140015	15mm Brass Foot Valve
LWA140020	20mm Brass Foot Valve
LWA140025	25mm Brass Foot Valve
LWA140032	32mm Brass Foot Valve
LWA140040	40mm Brass Foot Valve
LWA140050	50mm Brass Foot Valve
LWA140080	80mm Brass Foot Valve
LWA1400100	100mm Brass Foot Valve



HANSEN FEMALE TANK FITTING

Code	Description
LWSFTFT15	15mm BSP Hansen Female Tank Fitting
LWSFTFT20	20mm BSP Hansen Female Tank Fitting
LWSFTFT25	25mm BSP Hansen Female Tank Fitting
LWSFTFT32	32mm BSP Hansen Female Tank Fitting
LWSFTFT40	40mm BSP Hansen Female Tank Fitting
LWSFTFT50	50mm BSP Hansen Female Tank Fitting



BRASS GATE VALVES (UNTESTED) RATED TO 200PSI

Code	Description
LWGVB15	15mm Brass Gate Valve (Untested)
LWGVB20	20mm Brass Gate Valve (Untested)
LWGVB25	25mm Brass Gate Valve (Untested)
LWGVB32	32mm Brass Gate Valve (Untested)
LWGVB40	40mm Brass Gate Valve (Untested)
LWGVB50	50mm Brass Gate Valve (Untested)
LWGVB80	80mm Brass Gate Valve (Untested)
LWGVB100	100mm Brass Gate Valve (Untested)



BRASS BALL VALVES (UNTESTED) RATED TO 600WOG

Code	Description
LWVBB15	15mm Brass Ball Valves (Untested)
LWBVB002	20mm Brass Ball Valves (Untested)
LWVBB25	25mm Brass Ball Valves (Untested)
LWVBB32	32mm Brass Ball Valves (Untested)
LWVBB40	40mm Brass Ball Valves (Untested)
LWVBB50	50mm Brass Ball Valves (Untested)
LWVBB80	80mm Brass Ball Valves (Untested)



BRASS TANK FITTINGS

Code	Description
LWTFB2520	25mm MI 20mm Brass Tank Fitting
LWTFB4032	40mm MI 32mm Brass Tank Fitting
LWTFB5040	50mm MI 40mm Brass Tank Fitting



BRASS HOSE COCKS (UNTESTED)

Code	Description
LWBHC15	15mm Brass Hose Cocks (Tested)
LWBHC20	20mm Brass Hose Cocks (Tested)



25mm Brass Dual Check Valves

Code	Description
LWDCV25	25mm Brass Dual Check Valves



Pressure Relief Valve

Code	Description
LW530C50	15mm Bronze Pressure Relief valve